



DO NOT SCALE DO NOT MODIFY MANUALLY




ALL DIMENSIONS IN mm




CHECKED BY: J ROBERTSON		
AUTHORISED BY: MARK KENT		
PI No	AA7468_FW	
ISSUE	NAME	DATE
6	S AKHATAR	05/2023
PRODUCTION RELEASE SEE SHEET 10		

DRAWN	DATE	VOLTAGE	PART HAS CODE FEATURES IN ACCORDANCE WITH STD00250 C	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE S1530E & S1930E SCHEMATICS SCHEMATIC CLASSIFIED IN SCHEMATIC		DRAWING NO.		THIS DRAWING IS THE COPYRIGHT PROPERTY OF JCB ACCESS LTD A2
S AKHATAR	02/05/23	24V		NA	JCB ACCESS	S1530E & S1930E			401/C3250		
COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024						E3 PROJECT NO. AC00000245	E3 PROJECT ISSUE 11		SCALE: NTS	SHEET 1 OF 10	ROCESTER STAFFORDSHIRE ST14 5JP UK AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT. STRICTLY SECRET AND CONFIDENTIAL INFORMATION


DO NOT SCALE DO NOT MODIFY MANUALLY



CHECKED BY: J ROBERTSON		
AUTHORISED BY: MARK KENT		
PI No	AA7468_FW	
ISSUE	NAME	DATE
6	S AKHATAR	05/2023
PRODUCTION RELEASE		
SEE SHEET 10		




A	DRAWN	DATE	VOLTAGE	PART HAS CODE FEATURES IN ACCORDANCE WITH STD00250	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE		DRAWING NO.		THIS DRAWING IS THE COPYRIGHT PROPERTY OF  ACCESS LTD ROCESTER STAFFORDSHIRE ST14 5JP UK AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT. STRICTLY SECRET AND CONFIDENTIAL INFORMATION	A2
	S AKHATAR	02/05/23	24V		NA	JCB ACCESS	S1530E & S1930E	S1530E & S1930E SCHEMATICS LIVELINK ECU		401/C3250			
	COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024							E3 PROJECT NO. AC00000245	E3 PROJECT ISSUE 11	SCALE: NTS	SHEET 3 OF 10		



CHECKED BY: J ROBERTSON		
AUTHORISED BY: MARK KENT		
PI No	AA7468_FW	
ISSUE	NAME	DATE
6	S AKHATAR	05/2023
PRODUCTION RELEASE		
SEE SHEET 10		

DRAWN	DATE	VOLTAGE	PART HAS CODE FEATURES IN ACCORDANCE WITH STD00250	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE		DRAWING NO.		THIS DRAWING IS THE COPYRIGHT PROPERTY OF JCB ACCESS LTD
S AKHATAR	02/05/23	24V		NA	JCB ACCESS	S1530E & S1930E	S1530E & S1930E SCHEMATICS KOREAN/AUSTRALIAN SPEC CLASSIFIED IN SCHEMATIC		401/C3250		
COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024						E3 PROJECT NO. AC00000245	E3 PROJECT ISSUE 11		SCALE: NTS	SHEET 4 OF 10	
ROCESTER STAFFORDSHIRE ST14 5JP UK AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT. STRICTLY SECRET AND CONFIDENTIAL INFORMATION											



DO NOT SCALE DO NOT MODIFY MANUALLY



ALL DIMENSIONS IN mm

THIS SCHEMATIC IS FOR UK & EUROPE SPECIFICATIONS.
(WITH RCBO FITMENT)


CHECKED BY: J ROBERTSON		
AUTHORISED BY: MARK KENT		
PI No	AA7468_FW	
ISSUE	NAME	DATE
6	S AKHATAR	05/2023
PRODUCTION RELEASE SEE SHEET 10		



BOOTLACE FERRULES MUST BE USED ON ALL CONNECTIONS


DRAWN	DATE	VOLTAGE	PART HAS CODE FEATURES IN ACCORDANCE WITH STD00250 C	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE S1530E & S1930E SCHEMATICS POWER CABLE WITH RCBO CLASSIFIED IN SCHEMATIC		DRAWING NO.		THIS DRAWING IS THE COPYRIGHT PROPERTY OF JCB ACCESS LTD A2
S AKHATAR	02/05/23	24V/230		NA	JCB ACCESS	S1530E & S1930E			401/C3250		
COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024						E3 PROJECT NO. AC00000245	E3 PROJECT ISSUE 11		SCALE: NTS	SHEET 5 OF 10	ROCESTER STAFFORDSHIRE ST14 5JP UK AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT. STRICTLY SECRET AND CONFIDENTIAL INFORMATION

DO NOT SCALE DO NOT MODIFY MANUALLY




CHECKED BY: J ROBERTSON		
AUTHORISED BY: MARK KENT		
PI No	AA7468_FW	
ISSUE	NAME	DATE
6	S AKHATAR	05/2023
PRODUCTION RELEASE		
SEE SHEET 10		


THIS SCHEMATIC IS FOR USA SPECIFICATIONS.
(WITH GFP & MCB FITMENT)




BOOTLACE FERRULES MUST BE USED ON ALL CONNECTIONS



A	DRAWN	DATE	VOLTAGE	PART HAS CODE FEATURES IN ACCORDANCE WITH STD00250	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE	DRAWING NO.		THIS DRAWING IS THE COPYRIGHT PROPERTY OF
	S AKHATAR	02/05/23	24V	C	NA	JCB ACCESS	S1530E & S1930E	S1530E & S1930E SCHEMATICS POWER CABLE WITH GFP/MCB	401/C3250		JCB ACCESS LTD
	COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024						E3 PROJECT NO. AC00000245	E3 PROJECT ISSUE 11	SCALE: NTS	SHEET 6 OF 10	ROCESTER STAFFORDSHIRE ST14 5JP UK AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT. STRICTLY SECRET AND CONFIDENTIAL INFORMATION





DRAWN

S AKHATAR

DATE

02/05/23

VOLTAGE

24V

PART HAS CODE
FEATURES IN
ACCORDANCE
WITH STD00250

C

REPLACES

NA

BUSINESS UNIT

JCB ACCESS

M/C USED ON

S1530E & S1930E

TITLE

S1530E & S1930E SCHEMATICS
POWER CABLE WITHOUT RCBO

CLASSIFIED IN

SCHEMATIC

DRAWING NO.

401/C3250

SHEET

8

OF

10

THIS DRAWING IS THE COPYRIGHT PROPERTY OF

JCB ACCESS LTD

ROCESTER STAFFORDSHIRE ST14 5JP UK

AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT.
STRICTLY SECRET AND CONFIDENTIAL INFORMATION

A2

COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024

E3 PROJECT NO.
AC00000245

E3 PROJECT ISSUE
11

SCALE: NTS

1

2

3


4


5

6


7

8




1	2	3	4	5	6	7	8		
DO NOT SCALE DO NOT MODIFY MANUALLY							ALL DIMENSIONS IN mm		
SUMMARY OF CHANGES: ISSUE 1 TO ISSUE 2: A) PRIMARY FUSE HOLDER -FB1 P/N CHANGES TO 716/21900 FROM 443/E0386 B) PRIMARY FUSE -PF1 P/N CHANGES TO 400/Y5525 FROM 443/E0386 C) CABLE -C3_AC P/N CHANGES TO 7244/0041 FROM 7244/0025 D) FERRULES -T74,-T75,-T76,-T77,-T78,-T79 P/N CHANGES TO 7205/0401 FROM 7205/0250 E) RELAY RB1_MH COIL CONNECTION SWAPPING AS CKT NO 1000DA GOES TO RB1_MH:2 & CKT NO 6000DA GOES TO RB1_MH:4 F) DEVICE DESIGNATION CHANGES FOR LIMIT SWITCHES TO -UL15_MH, -UL16_MH, -LL15_MH, LL16_MH, -LL23_MH & -LL24_MH FROM -T6_MH, -T7_MH, -T8_MH, -T9_MH, -T13_MH & -T14_MH G) DEVICE DESIGNATION CHANGES FOR POTHOLE SWITCHES TO -PL13_MH , -PL14_MH , -PL21_MH , -PL22_MH , -PR13_MH , -PR14_MH , -PR21_MH & -PR22_MH FROM -T15_MH, -T16_MH, -T17_MH, -T18_MH, -T19_MH, -T20_MH, -T21_MH & -T22_MH H) CONNECTION CHANGES FOR FUSE FB1_MH CAVITY NO 2 AND FUSE FB2_MH CAVITY NO 1 I) HORN CONNECTOR -C4_MH CHANGES FROM 7212/0052 TO 7212/0008 J) SHEET NO. 4 & 5 UPDATED DUE TO AC CHANGES AS PER EN60204 K) FOR -T8 & -T9 TERMINAL CHANGED FROM 7208/1048 TO 7207/1406 L) FOR -T118 BOOTLACE FERRULE PART NO. 7205/0401 CHANGED TO FORK TERMINAL PART NO. 410/A1623 M) -C44_MH BREAK VALVE CONNECTOR DELETED DUE TO CHANGES IN MAIN HYDRAULICS VALVE N) COMMUNICATION WIRE CHANGED FROM TWISTED PAIR TO SHIELDED CABLE O) CUTEND AND SPLICE S13_MH ADDED FOR CAN ISSUE 2 TO ISSUE 3: A) BOOTLACE FERRULES T104,T105,T106,T107,T108 & T109 CHANGED TO 7205/0 FROM 7205/0401 B) BOOTLACE FERRULES T110,T111 & T112 CHANGED TO 7205/0251 FROM 7205/0401 C) MULTICORE CABLE -MC7 CHANGED TO 7244/0047 FROM 7244/0041 (12AWG TO 14AWG) D) FERRULE -T113,-T114 & -T115 ADDED ON GFCI SIDE ISSUE 4 TO ISSUE 5: A) ADDED SHEET 6, 7, 8 & 9. ISSUE 5 TO ISSUE 6: A) ADDED SHEET 4 AND ADDED OPTIONAL CIRCUITS FOR KOREA AND AUSTRALIA.							CHECKED BY: J ROBERTSON		
							AUTHORISED BY: MARK KENT		
							PI No	AA7468_FW	
							ISSUE	NAME	DATE
							6	S AKHATAR	05/2023
PRODUCTION RELEASE									
SEE ZONE E:3									

DO NOT SCALE DO NOT MODIFY MANUALLY




ALL DIMENSIONS IN mm



CHECKED BY:		
AUTHORISED BY:		
PI No	AA7468_FE	
ISSUE	NAME	DATE
4	VISHAL	02/2021
PRODUCTION RELEASE		
SEE SHEET 3		

DRAWN		DATE	VOLTAGE	PART HAS CODE	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE		DRAWING NO.		THIS DRAWING IS THE COPYRIGHT PROPERTY OF	
SK		12/2018	24V	FEATURES IN ACCORDANCE WITH STD00250	NA	JCB ACCESS	S2032E & S2632E	ELECTRIC SCISSOR 6V BATTERIES SCHEMATIC		401/D4166		JCB ACCESS LTD	
CLASSIFIED IN		E3 PROJECT NO.		E3 PROJECT ISSUE		SCALE:		SHEET		1 OF 5		ROCESTER STAFFORDSHIRE ST14 5JP UK	
SCHEMATIC		AC00000309		7		NTS		21/35		24/35		AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT. STRICTLY SECRET AND CONFIDENTIAL INFORMATION	



--




COPYRIGHT PROPERTY OF
 A2

ESS LTD
DORSET ST14 5JP UK


8

DRAWN	DATE	VOLTAGE	PART HAS CODE FEATURES IN ACCORDANCE WITH STD00250	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE			DRAWING NO.			THIS DRAWING IS THE COPYRIGHT PROPERTY OF		
SK	12/2018	24V	C	NA	JCB ACCESS	S2032E & S2632E	ELECTRIC SCISSOR 6V BATTERIES SCHEMATIC			401/D4166			A2		
COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024						E3 PROJECT NO. AC00000309	CLASSIFIED IN SCHEMATIC		SCALE: NTS		SHEET 2 OF 5		JCB ACCESS LTD		
							E3 PROJECT ISSUE 7						ROCESTER STAFFORDSHIRE ST14 5JP UK		
													AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT. STRICTLY SECRET AND CONFIDENTIAL INFORMATION		



THIS SCHEMATIC IS FOR UK & EUROPE SPECIFICATIONS.
(WITH RCBO FITMENT)

CHECKED BY:		
AUTHORISED BY:		
PI No	AA7468_FE	
ISSUE	NAME	DATE
4	VISHAL	02/2021
PRODUCTION RELEASE		
SEE SHEET 3		




CABLE IS CUTOFF AND ASSEMBLED ON THE PRODUCTION LINE
BOOTLACE FERRULES MUST BE USED ON ALL CONNECTIONS

- 4m machine = 7.5m AC cable; Diameter = 2.5MM2
- 6m machine = 9m AC cable; Diameter = 2.5MM2
- 8m machine = 11.5m AC cable; Diameter = 2.5MM2
- 10m machine = 14m AC cable; Diameter = 2.5MM2
- 12m machine = 15.5m AC cable; Diameter = 2.5MM2
- 14m machine = 19.5m AC cable = 2.5MM2

DRAWN	DATE	VOLTAGE	PART HAS CODE FEATURES IN ACCORDANCE WITH STD00250	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE		DRAWING NO.		THIS DRAWING IS THE COPYRIGHT PROPERTY OF JCB  ACCESS LTD ROCESTER STAFFORDSHIRE ST14 5JP UK AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT. STRICTLY SECRET AND CONFIDENTIAL INFORMATION	
SK	12/2018	24V	C	NA	JCB ACCESS	S2032E & S2632E	ELECTRIC SCISSOR 6V BATTERIES SCHEMATIC		401/D4166			A2
COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024						E3 PROJECT NO. AC00000309	E3 PROJECT ISSUE 7		SCALE: NTS	SHEET 4 OF 5		

DO NOT SCALE DO NOT MODIFY MANUALLY



CHECKED BY:

AUTHORISED BY:


PI No	AA7468_FE
-------	-----------

ISSUE	NAME	DATE
-------	------	------

4	VISHAL	02/2021
---	--------	---------

PRODUCTION RELEASE
SEE SHEET 3


THIS CABLE IS FOR USA SPECIFICATIONS.
(WITH GFP & MCB FITMENT)




CABLE IS CUTOFF AND ASSEMBLED ON THE PRODUCTION LINE
BOOTLACE FERRULES MUST BE USED ON ALL CONNECTIONS

A	DRAWN	DATE	VOLTAGE	PART HAS CODE FEATURES IN ACCORDANCE WITH STD00250	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE ELECTRIC SCISSOR 6V BATTERIES SCHEMATIC		DRAWING NO.		THIS DRAWING IS THE COPYRIGHT PROPERTY OF  JCB ACCESS LTD ROCESTER STAFFORDSHIRE ST14 5JP UK AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT. STRICTLY SECRET AND CONFIDENTIAL INFORMATION
	SK	12/2018	24V		NA	JCB ACCESS	S2032E & S2632E			401/D4166		
	COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024							E3 PROJECT NO. AC00000309	E3 PROJECT ISSUE 7	SCALE: NTS	SHEET 5 OF 5	

DO NOT SCALE DO NOT MODIFY MANUALLY



ALL DIMENSIONS IN mm




CHECKED BY:		
AUTHORISED BY:		
PI No	AA7468_FI	
ISSUE	NAME	DATE
4	S KADLAG	08/2021
PRODUCTION RELEASE		
SEE SHEET 3		

A	DRAWN	DATE	VOLTAGE	PART HAS CODE	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE		DRAWING NO.		THIS DRAWING IS THE COPYRIGHT PROPERTY OF	
	S KADLAG	02/2019	24V	FEATURES IN ACCORDANCE WITH STD00250	NA	JCB ACCESS	S3246E , S4046E	ELECTRIC SCISSOR 6V BATTERIES SCHEMATIC		401/D6941		JCB	ACCESS LTD
COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024							E3 PROJECT NO. AC00000321	E3 PROJECT ISSUE 11		SCALE: NTS		SHEET 1 OF 5	

ROCESTER STAFFORDSHIRE ST14 5JP UK
AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT.
STRICTLY SECRET AND CONFIDENTIAL INFORMATION

A2



THIS DRAWING IS THE COPYRIGHT PROPERTY OF


JCB ACCESS LTD

ROCESTER STAFFORDSHIRE ST14 5JP UK

AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT.
STRICTLY SECRET AND CONFIDENTIAL INFORMATION

DO NOT SCALE

DO NOT MODIFY MANUALLY



CHECKED BY:	
-------------	--

AUTHORISED BY:


PI No	AA7468 F
-------	----------

ISSUE	NAME	DATE
-------	------	------

4 S KADLAG 08/2021

PRODUCTION RELEASE

SEE SUMMARY OF
CHANGES AT ZONE B:1



SUMMARY OF CHANGES:

ISSUE 01 TO 02

A) PRIMARY FUSE HOLDER -FB1 P/N CHANGES TO 716/21900 FROM 443/E0386

B) PRIMARY FUSE -PF1 P/N CHANGES TO 400/Y5525 FROM 443/E0386

C) CABLE -C3 AC P/N CHANGES TO 7244/0041 FROM 7244/0025

D) FERRULES -T74,-T75,-T76,-T77,-T78,-T79 P/N RENAMED TO -T104,-T105,-T106,-T107,-T108,-T109 RESP.

AND PART NO CHANGES TO 7205/0400 FROM 7205/0401

E) RELAY RB1 MH COIL CONNECTION SWAPPING AS CKT NO 1000DA GOES TO RB1 MH:2 & CKT NO 6000DA GOES TO RB1 MH:4

F) DEVICE DESIGNATION CHANGES FOR LIMIT SWITCHES TO -UL15 MH, -UL16 MH, -LL15 MH, LL16 MH,

-LL23 MH & -LL24 MH FROM -T6 MH, -T7 MH, -T8 MH, -T9 MH, -T13 MH & -T14 MH

G) DEVICE DESIGNATION CHANGES FOR POT HOLE SWITCHES TO -PL13 MH , -PL14 MH , -PL21 MH , -PL22 MH ,

-PR13 MH , -PR14 MH , -PR21 MH & -PR22 MH FROM -T15 MH, -T16 MH, -T17 MH, -T18 MH, -T19 MH,

-T20 MH, -T21 MH & -T22 MH

H) SHEET 5 UPDATED DUE TO AC CHANGES AS PER EN60204

I) FOR -T118 BOOTLACE FERRULE PART NO. 7205/0401 CHANGED TO FORK TERMINAL PART NO. 410/A1623

J) BLOCK -B47 ADDED FOR RCBO 110V (USA SPEC MACHINES)

K) FERRULES -T110,-T111,-T112,-T113,-T114,-T115 ADDED

L) COMMUNICATION WIRE CHANGED FROM TWISTED PAIR TO SHIELDED CABLE


M) CUTEND AND SPLICE S13 MH ADDED FOR CAN

ISSUE 03 TO 04


A) DELETED CUT END IP CE1, SPLICE S13 MH AND TWISTED PAIR TP12

B) ADDED C1 MH, C1 SH, C50, C51 AND S1 SH FOR SPLITTING MAIN HARNESS AND DATALINK CABLE.

C) ADDED TWISTED WIRE TW1:TW1.

A	DRAWN	DATE	VOLTAGE	PART HAS CODE FEATURES IN ACCORDANCE WITH STD00250	C	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE		DRAWING NO.		THIS DRAWING IS THE COPYRIGHT PROPERTY OF JCB  ACCESS LTD ROCESTER STAFFORDSHIRE ST14 5JP UK AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT. STRICTLY SECRET AND CONFIDENTIAL INFORMATION
	S KADLAG	02/2019	24V			NA	JCB ACCESS	S3246E , S4046E	ELECTRIC SCISSOR 6V BATTERIES SCHEMATIC		401/D6941		
	COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024						E3 PROJECT NO. AC00000321	E3 PROJECT ISSUE 11	SCALE: NTS	SHEET 3 OF 5			


DO NOT SCALE DO NOT MODIFY MANUALLY



ALL DIMENSIONS IN mm

THIS SCHEMATIC IS FOR UK & EUROPE SPECIFICATIONS.
(WITH RCBO FITMENT)

CHECKED BY:		
AUTHORISED BY:		
PI No	AA7468_FI	
ISSUE	NAME	DATE
4	S KADLAG	08/2021
PRODUCTION RELEASE SEE SHEET 3		




CABLE IS CUTOFF AND ASSEMBLED ON THE PRODUCTION LINE
BOOTLACE FERRULES MUST BE USED ON ALL CONNECTIONS

4m machine = 7.5m AC cable; Diameter = 2.5MM2
6m machine = 9m AC cable; Diameter = 2.5MM2
8m machine = 11.5m AC cable; Diameter = 2.5MM2
10m machine = 14m AC cable; Diameter = 2.5MM2
12m machine = 15.5m AC cable; Diameter = 2.5MM2
14m machine = 19.5m AC cable = 2.5MM2

DRAWN	DATE	VOLTAGE	PART HAS CODE FEATURES IN ACCORDANCE WITH STD00250	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE		DRAWING NO.		THIS DRAWING IS THE COPYRIGHT PROPERTY OF JCBACCESS LTD A2 ROCESTER STAFFORDSHIRE ST14 5JP UK AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT. STRICTLY SECRET AND CONFIDENTIAL INFORMATION
S KADLAG	02/2019	24V	C	NA	JCB ACCESS	S3246E , S4046E	ELECTRIC SCISSOR 6V BATTERIES SCHEMATIC		401/D6941		
COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024						E3 PROJECT NO. AC00000321	E3 PROJECT ISSUE 11	SCALE: NTS	SHEET 4 OF 5		

A2

DO NOT SCALE DO NOT MODIFY MANUALLY



CHECKED BY:

AUTHORISED BY:


PI No	AA7468_FI
-------	-----------

ISSUE	NAME	DATE
-------	------	------

4	S KADLAG	08/2021
---	----------	---------

PRODUCTION RELEASE
SEE SHEET 3


THIS CABLE IS FOR USA SPECIFICATIONS.
(WITH GFP & MCB FITMENT)




CABLE IS CUTOFF AND ASSEMBLED ON THE PRODUCTION LINE
BOOTLACE FERRULES MUST BE USED ON ALL CONNECTIONS

A	DRAWN	DATE	VOLTAGE	PART HAS CODE FEATURES IN ACCORDANCE WITH STD00250	C	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE		DRAWING NO.		THIS DRAWING IS THE COPYRIGHT PROPERTY OF JCB ACCESS LTD ROCESTER STAFFORDSHIRE ST14 5JP UK AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT. STRICTLY SECRET AND CONFIDENTIAL INFORMATION
	S KADLAG	02/2019	24V			NA	JCB ACCESS	S3246E , S4046E	ELECTRIC SCISSOR 6V BATTERIES SCHEMATIC		401/D6941		
	COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024							E3 PROJECT NO. AC00000321	CLASSIFIED IN	SCHEMATIC	E3 PROJECT ISSUE 11	SCALE: NTS	

DO NOT SCALE DO NOT MODIFY MANUALLY




ALL DIMENSIONS IN mm



CHECKED BY:		
AUTHORISED BY:		
PI No	AA7468_FH	
ISSUE	NAME	DATE
3	S KADLAG	09/2021
PRODUCTION RELEASE		
SEE SHEET 3		

A	DRAWN	DATE	VOLTAGE	PART HAS CODE FEATURES IN ACCORDANCE WITH STD00250	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE		DRAWING NO.		THIS DRAWING IS THE COPYRIGHT PROPERTY OF	
	VISHAL	02/2019	24V		NA	JCB ACCESS	S4550E	ELECTRIC SCISSOR 6V BATTERIES SCHEMATIC		401/F0709		JCB	ACCESS LTD
COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024							E3 PROJECT NO. AC00000353	E3 PROJECT ISSUE 04		SCALE: NOT TO SCALE		SHEET 1 OF 5	

ROCESTER STAFFORDSHIRE ST14 5JP UK
AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT.
STRICTLY SECRET AND CONFIDENTIAL INFORMATION



THIS DRAWING IS THE COPYRIGHT PROPERTY OF

JCB ACCESS LTD


A2

ROCESTER STAFFORDSHIRE ST14 5JP UK

AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT.
STRICTLY SECRET AND CONFIDENTIAL INFORMATION

DO NOT SCALE

DO NOT MODIFY MANUALLY



CHECKED BY:

AUTHORISED BY:


PI No	AA7468_FH
-------	-----------

ISSUE	NAME	DATE
-------	------	------

3	S KADLAG	09/2021
---	----------	---------

PRODUCTION RELEASE

SEE SUMMARY OF
CHANGE AT ZONE B:1



SUMMARY OF CHANGE:

ISSUE 01 TO ISSUE 02

A) CHANGED BATTERY PACK CONNECTION AS BELOW:


1. T7 TO -T6 CONNECTION DELETED & -T7 TO -T24 CONNECTION ADDED
2. T1 TO -T23 CONNECTION DELETED & -T27 TO -T23 CONNECTION ADDED
3. T2 TO -T92 CONNECTION DELETED & -T92 TO -T7 CONNECTION ADDED
4. T4 TO -T5 CONNECTION DELETED & -T4 TO -T27 CONNECTION ADDED

ISSUE 02 TO ISSUE 03

1. ADDED C1_MH, C1_SH, C50, C51 AND S1_SH FOR SPLITTING MAIN HARNESS AND DATALINK CABLE.

A	DRAWN	DATE	VOLTAGE	PART HAS CODE FEATURES IN ACCORDANCE WITH STD00250	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE		DRAWING NO.		THIS DRAWING IS THE COPYRIGHT PROPERTY OF				
	VISHAL	02/2019	24V					NA	JCB ACCESS	S4550E	ELECTRIC SCISSOR 6V BATTERIES SCHEMATIC		401/F0709	JCB	ACCESS LTD	A2
											CLASSIFIED IN	SCHEMATIC				
COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024							E3 PROJECT NO. AC00000353	E3 PROJECT ISSUE 04	SCALE: NOT TO SCALE	SHEET 3 OF 5	ROCESTER STAFFORDSHIRE ST14 5JP UK AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT. STRICTLY SECRET AND CONFIDENTIAL INFORMATION					


DO NOT SCALE DO NOT MODIFY MANUALLY



ALL DIMENSIONS IN mm

THIS SCHEMATIC IS FOR UK & EUROPE SPECIFICATIONS.
(WITH RCBO FITMENT)

CHECKED BY:		
AUTHORISED BY:		
PI No	AA7468_FH	
ISSUE	NAME	DATE
3	S KADLAG	09/2021
PRODUCTION RELEASE		
SEE SHEET 3		



CABLE IS CUTOFF AND ASSEMBLED ON THE PRODUCTION LINE
BOOTLACE FERRULES MUST BE USED ON ALL CONNECTIONS

4m machine = 7.5m AC cable; Diameter = 2.5MM2
6m machine = 9m AC cable; Diameter = 2.5MM2
8m machine = 11.5m AC cable; Diameter = 2.5MM2
10m machine = 14m AC cable; Diameter = 2.5MM2
12m machine = 15.5m AC cable; Diameter = 2.5MM2
14m machine = 19.5m AC cable = 2.5MM2

DRAWN	DATE	VOLTAGE	PART HAS CODE FEATURES IN ACCORDANCE WITH STD00250	REPLACES	BUSINESS UNIT	M/C USED ON	TITLE		DRAWING NO.		THIS DRAWING IS THE COPYRIGHT PROPERTY OF JCB ACCESS LTD ROCESTER STAFFORDSHIRE ST14 5JP UK AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT. STRICTLY SECRET AND CONFIDENTIAL INFORMATION
VISHAL	02/2019	24V		NA	JCB ACCESS	S4550E	ELECTRIC SCISSOR 6V BATTERIES SCHEMATIC		401/F0709		
COMPONENT TO COMPLY WITH STD00140, DRAWN IN ACCORDANCE WITH 7000/3100 AND STD00024						E3 PROJECT NO. AC00000353	E3 PROJECT ISSUE 04	SCALE: NOT TO SCALE	SHEET 4 OF 5		

CABLE IS CUTOFF AND ASSEMBLED ON THE PRODUCTION LINE
BOOTLACE FERRULES MUST BE USED ON ALL CONNECTIONS

THIS DRAWING IS THE COPYRIGHT PROPERTY OF

JCB  ACCESS LTD

A2

ROCESTER STAFFORDSHIRE ST14 5JP UK

AND MUST NOT BE COPIED OR REPRODUCED WITHOUT WRITTEN CONSENT.
STRICTLY SECRET AND CONFIDENTIAL INFORMATION